

Tulane team advances knowledge toward more efficient electronics

July 24, 2017 3:15 PM

Barri Bronston
bbronst@tulane.edu
504-314-7444




Image of new magnetic semimetal courtesy of Oak Ridge National Lab

A recent discovery by a team of researchers led by Tulane University advances fundamental knowledge that could one day lead to more energy-efficient computers, televisions, cellphones and other electronics.

The researchers' discovery of a new magnetic topological semimetal is featured in the latest edition of the prestigious journal [*Nature Materials*](#).

The Tulane team was led by physics professor [Zhiqiang Mao](#), the Tulane School of Science and Engineering's Outstanding Researcher for 2017. Mao's research, which focuses on quantum

Tulane University

materials such as superconductors, magnetic materials and topological materials, was carried out in response to the need for better ways to power electronics, especially given continually shrinking transistors in smartphones and other devices. Topological semimetals represent a new quantum state of matter.

“The result is expected to improve fundamental understanding of fascinating properties of topological semimetals.”

Tulane physics professor Zhiqiang Mao

“The recent discoveries of topological materials – a new class of quantum materials – hold great promise for use in energy-saving electronics,” Mao said.

The phrase “topological materials” refers to those materials where the current carrying electrons acts as if they have no mass, similar to the properties of photons, the particles that make up light.

“The result is expected to improve fundamental understanding of fascinating properties of topological semimetals,” Mao said.

In addition to Mao, scientists from Tulane include research assistant professor Jin Hu, assistant professor Jiang Wei, graduate students Jinyu Liu, Yanglin Zhu and visiting scholar Goufeng Cheng. Other collaborators on the study include Louisiana State University, Oak Ridge National Lab, National High Magnetic Field Lab at Tallahassee and Los Alamos, Florida State University, and University of New Orleans.

The study was funded by the National Science Foundation, the Louisiana Board of Regents and the U.S. Department of Energy, among others.